

Sliding Clear View

Glass Sliding

ENG

sunExt



sunExt

**CREATE NEW SPACES,
ENJOY NEW MOMENTS**

Cristales y Persianas López, S.L
C/ Poniente, 62 Fuente del Maestro
06360 (Badajoz) España
cristalesypersinaslopez@cristalesypersianaslopez.com
Tlf. (+34) 924 530 265 Web: www.sunext.eu

Index

Introduction	01
Characteristics	01
Maximum Dimensions	02
Finishes	02
Typologies	03


Introduction

The Aluminios glass sliding systems are designed to create enclosures on terraces, balconies, porches and as a complement to pergolas and mobile roofs. This carpentry of non-continuous tread profiles with respect to the lower guide guarantees rapid drainage of rainwater. Easy assembly and integration with the completion of the work.

It has multiple configurations in openings and blocking possibilities.

Characteristics


Hermetic & watertight




High wind resistance



Large dimensions



Luminosity



Maximum dimensions


Height: 2,700 mm

Width: 4000mm

Rail width: 1000 mm

Tempered Glass 10 mm

Maximum weight: 80 Kg




Finishes

All rails and profiles can be customized to suit the design of your terrace or balcony.


The available options are:

- Different shades of glass.
- Wide range of RAL colors.
- Different wood finishes.
- Anodized: silver, bronze and gold.


Typologies




Sliding on one side
(3 sheets, 3 rails)




Corredera a dos lado
(3 hojas, 3 carriles)




Sliding on two sides
(2 sheets, 2 rails)




Sliding on one side (4 sheets, 4 rails)




Sliding on two sides (4 sheets, 4 rails)




Central opening sliding (4 sheets, 2 rails)




Sliding on two sides (5 sheets, 5 rails)



Central opening sliding (6 sheets, 3 rails)



Central opening sliding (8 sheets, 4 rails)



sunExt

Feb'24